

संलग्नक संख्या/Annexure No.....
मद संख्या/Item No.....
ई.सी. की तिथि/Date of EC.....



Proctor's Office

Residence Health and Discipline Board
Ordinance XV (Chapter VI) University of Delhi

Inspection 2015-16

Statistical Report

TABLE OF CONTENTS

S.No.	Name of Institutions	Page No.
1.	Colleges	1
2.	College Hostels	6
3.	Departments, Centres, Faculties and Other Institutions	9
4.	DU Hostels	13
5.	Libraries	16
6.	Auditorium / Halls	19
7.	Health Centres	21
8.	Guest Houses	23
9.	Canteen	25
10.	Adminstrations	27
11.	Offices and Others	29

Inspection Report of Colleges for Submission to EC

Sr. No.	Criteria Consider	Category	Percentage (N)
1	Display of various committees on the notice boards	All	76.56 (49)
		Some	17.19 (11)
		None	4.69 (3)
		Under Process	1.56 (1)
2	Display of signages	All	62.5 (40)
		Some	29.69 (19)
		None	6.25 (4)
		Under Process	1.56 (1)
3	PWD facilities	Good	45.31 (29)
		Satisfactory	32.81 (21)
		Poor	18.75 (12)
		No Facility	1.56 (1)
		Under construction	1.56 (1)
4	Activities taken under Swachhata Abhiyaan	Yes	68.75 (44)
		No	25 (16)
		No Information Available	6.25 (4)
5	General cleanliness	Good	46.88 (30)
		Satisfactory	32.81 (21)
		Poor	20.31 (13)
6	Drinking water facilities	Good	54.69 (35)
		Satisfactory	23.44 (15)
		Poor	15.63 (10)
		No Information Available	6.25 (4)
7	Toilet water facility	Running	46.88 (30)
		Stored	28.13 (18)
		Running And Stored	7.81 (5)
		No Information Available	17.19 (11)
8	Toilets with proper signages and other amenities	Good	48.44 (31)
		Satisfactory	35.94 (23)
		Poor	15.63 (10)
9	Classrooms	Good	51.56 (33)
		Satisfactory	46.88 (30)
		Poor	1.56 (1)
10	Common rooms	Good	42.19 (27)
		Satisfactory	53.13 (34)
		Poor	3.13 (2)
		No Common Room	1.56 (1)

Sr. No.	Criteria Consider	Category	E.C. dated 03.07.2017 (14.15.07.2017)
11	Security	Good	48.4 (3)
		Satisfactory	37.5 (24)
		Poor	14.06 (9)
12	Medical facilities	Good	42.19 (27)
		Satisfactory	42.19 (27)
		Poor	4.69 (3)
		No Information Available	4.69 (3)
		No Medical Facility	6.25 (4)
13	Fire safety	Good	28.13 (18)
		Satisfactory	54.69 (35)
		Poor	12.5 (8)
		No fire safety process	4.69 (3)
14	Any radiation hazard in any of the laboratories	Yes	4.69 (3)
		No	56.25 (36)
		No Information Available	17.19 (11)
		Not Applicable	21.88 (14)
15	Sports Facility	Good	25 (16)
		Adequate	64.06 (41)
		Poor	9.38 (6)
		No Information Available	1.56 (1)
16	NCC Facility	Good	18.75 (12)
		Adequate	54.69 (35)
		Poor	3.13 (2)
		No Facility	17.19 (11)
		No Information Available	6.25 (4)
17	NSS Facility	Good	25 (16)
		Adequate	60.94 (39)
		Poor	3.13 (2)
		No Facility	6.25 (4)
		No Information Available	4.69 (3)
18	Counseling facilities	Yes	85.94 (55)
		No	10.94 (7)
		No Information Available	3.13 (2)
19	Parking facility	Yes	95.31 (61)
		No	1.56 (1)
		No Information Available	3.13 (2)
20	Computers from the university for students use	Yes	100 (64)
		No	-
21	Internet accessibility	Yes	98.44 (63)
		No Information Available	1.56 (1)
22	Library facility	Good	51.56 (33)
		Adequate	42.19 (27)
		Poor	6.25 (4)
23	CCTV Installation	Yes	93.75 (60)
		No Installation	6.25 (4)

Sr. No.	Criteria Consider	Category	Percentage (N)
24	Waste disposal facility	Good	46.88 (30)
		Satisfactory	23.44 (15)
		Poor	6.25 (4)
		No Facility	18.75 (12)
		Under Process	3.13 (2)
		No Information Available	1.56 (1)
25	Considerations	Yes	62.5 (40)
		No	32.81 (21)
		No Information Available	4.69 (3)
26	Grievance committee for students redressal	Yes	85.94 (55)
		No	9.38 (6)
		No Information Available	4.69 (3)
27	Canteen facility	Good	40.63 (26)
		Satisfactory	40.63 (26)
		Poor	15.63 (10)
		No Information Available	3.13 (2)

Sr. No.	Name of Colleges
1.	Acharya Narendra Dev College
2.	Aditi Mahavidyalaya
3.	Aryabhatta College
4.	Atma Ram Sanatan Dharam College
5.	BR Ambedkar College
6.	Bhagini Nivedita College
7.	Bharati College
8.	Bhaskaracharya College of Applied Science
9.	College of Vocational Studies
10.	Deen Dyal Upadhyaya College
11.	Delhi College of Arts & Commerce
12.	Deshbandhu College
13.	Daulat Ram College
14.	Dyal Singh College (Evening)
15.	Dyal Singh College (Morning)
16.	Gargi College
17.	Hansraj College
18.	Hindu College
19.	Indira Gandhi Institute of Physical Education & Sports Science
20.	Indraprastha College for Women
21.	Institute of Home Economics
22.	Janki Devi Memorial College
23.	Jesus and Mary College
24.	Kalindi College
25.	Kamla Nehru College
26.	KeshavMahavidyalaya
27.	Kirori Mal College
28.	Lady Irwin College
29.	Lady Shri Ram College for Women
30.	Lakshmi Bai College
31.	Maharaja Agrasen College
32.	Maitreyi College
33.	Mata Sundri College for Women
34.	Miranda House College
35.	Motilal Nehru College (Evening)
36.	Motilal Nehru College (Morning)

37.	PGDAV College (Evening)
38.	PGDAV College (Morning)
39.	Rajdhani College
40.	Ram Lal Anand College
41.	Ramanujan College
42.	Ramjas College
43.	Satyawati College (Evening)
44.	Satyawati College (Morning)
45.	SGTB Khalsa College
46.	Shaheed Bhagat Singh College (Evening)
47.	Shaheed Bhagat Singh College (Morning)
48.	Shaheed Rajguru College for Applied Sciences
49.	Shaheed Sukhdev College of Business Studies
50.	Shivaji College
51.	Shyam Lal College (Evening)
52.	Shyam Lal College (Morning)
53.	Shyama Prasad Mukherjee College
54.	Shri Ram College of Commerce
55.	Sri Aurobindo College (Evening)
56.	Sri Aurobindo College (Morning)
57.	Sri Guru Gobind Singh College of Commerce
58.	Sri Guru Nanak Dev Khalsa College
59.	Sri Venkateswara College
60.	St Stephen's College
61.	Swami Shraddhanand College
62.	Vivekanand College
63.	Zakir Husain Delhi College (Morning)
64.	Zakir Husain Delhi College (Evening)

Inspection Report of College Hostels for Submission to EC

Sr. No.	Criteria Consider	Category	Frequency (N)
1	Display of various committees on the notice boards and hostel website	All	71.43 (10)
		Some	14.29 (2)
		None	14.29 (2)
2	Display of signage	All	71.43 (10)
		Some	28.57 (4)
3	PWD facilities	Good	57.14 (8)
		Satisfactory	35.71 (5)
		Poor	7.14 (1)
4	General cleanliness	Good	64.29 (9)
		Satisfactory	35.71 (5)
5	Water facilities in the toilets	Good	71.43 (10)
		Satisfactory	28.57 (4)
6	Drinking water facilities :	Good	71.43 (10)
		Satisfactory	28.57 (4)
7	Common rooms	Good	71.43 (10)
		Satisfactory	28.57 (4)
8	Canteen Cleanliness and Maintenance	Good	64.29 (9)
		Satisfactory	28.57 (4)
		No Information Available	7.14 (1)
9	Security	Good	57.14 (8)
		Satisfactory	42.86 (6)
10	Fire safety	Good	50 (7)
		Satisfactory	50 (7)
11	Sports/Fitness classes	Good	50 (7)
		Adequate	35.71 (5)
		No Sports/Fitness Classes	14.29 (2)
12	Counseling facilities	Yes	85.71 (12)
		No	14.29 (2)
13	Waste disposal facility	Good	35.71 (5)
		Satisfactory	35.71 (5)
		No facility	28.57 (4)
14	Parking facility	Yes	71.43 (10)
		No	28.57 (4)
15	Computers facility	Yes	50 (7)
		No	50 (7)
16	Internet accessibility	Yes	92.86 (13)
		No	7.14 (1)
17	Library facility	Good	28.57 (4)
		Adequate	14.29 (2)
		No Facility	14.29 (2)
		No Information Available	42.86 (6)
18	CCTV Installation	Yes	85.71 (12)
		No	14.29 (2)

Sr. No.	Criteria Consider	Category	Frequency (N)
19	Complaint box for maintenance related problems	Yes	78.56 (1)
		No	7.14 (1)
		No Information Available	14.29 (2)
20	Designated complaint register for maintenance related problem	Yes	92.86 (13)
		No Information Available	7.14 (1)
21	Designated caretaker	Yes	92.86 (13)
		No Information Available	7.14 (1)
22	Disposal of obsolete items	Yes	64.29 (9)
		No	28.57 (4)
		No Information Available	7.14 (1)

Sr. No.	Name of College Hostels
1.	Daulat Ram College Hostel
2.	Hansraj College Hostel
3.	Hindu College Hostel
4.	Indraprastha College for Women Hostel
5.	Kirori Mal College Hostel
6.	Lady Shri Ram College for Women's Hostel
7.	Maharaja Agrasen College Hostel
8.	Miranda House College Hostel
9.	Ramjas College Hostel
10.	SGTB Khalsa College Hostel
11.	Shaheed Rajguru College for Applied Sciences Hostel
12.	SRCC Hostel
13.	Sri Venkateswara College Hostel
14.	St Stephen's College Hostel

**Inspection Report of Departments, Centres, Faculties
and Other Institutions for Submission to EC**

Sr. No.	Criteria Considered	Category	Percentage (N)
1	Display of various committees on the notice board	All	47.06 (16)
		Some	35.29 (12)
		None	2.94 (1)
		No Information Available	8.82 (3)
		N.A	5.88 (2)
2	Display of signages	All	35.29 (12)
		Some	38.24 (13)
		None	11.76 (4)
		No Information Available	14.71 (5)
3	PWD facilities	Good	50 (17)
		Satisfactory	11.76 (4)
		No facility	23.53 (8)
		Underconstruction	11.76 (4)
		No Information Available	2.94 (1)
4	Awareness about EOC of DU	Yes	73.53 (25)
		No	11.76 (4)
		No Information Available	14.71 (5)
5	General cleanliness	Good	79.41 (27)
		Satisfactory	17.65 (6)
		No Information Available	2.94 (1)
6	Water facilities in the toilets	Running	20.59 (7)
		Running / stored	64.71 (22)
		No Information Available	14.71 (5)
7	Drinking water facilities	Good	55.88 (19)
		Satisfactory	29.41 (10)
		Poor	5.88 (2)
		No Information Available	8.82 (3)
8	Toilet facility	Good	64.71 (22)
		Satisfactory	26.47 (9)
		Poor	8.82 (3)
9	Canteen	Good	11.76 (4)
		Satisfactory	11.76 (4)
		Poor	2.94 (1)
		No canteen	35.29 (12)
		N.A	26.47 (9)
		No Information Available	11.76 (4)
10	Class rooms	Good	55.88 (19)
		Satisfactory	17.65 (6)
		Poor	8.82 (3)
		N.A	8.82 (3)
		No Information Available	8.82 (3)

Sr. No.	Criteria Considered	Category	
11	Commonrooms	Good	20 (3)
		Satisfactory	11.76 (3)
		No common room	35.29 (12)
		N.A	23.53 (8)
		No Information Available	11.76 (4)
12	Security	Good	70.59 (24)
		Satisfactory	17.65 (6)
		Poor	8.82 (3)
		No Information Available	2.94 (1)
13	Medical facility	Good	20.6 (7)
		Satisfactory	52.94 (18)
		Poor	8.82 (3)
		No medical facility	14.71 (5)
		N.A	2.94 (1)
14	Fire safety	Good	50 (17)
		Satisfactory	26.47 (9)
		Poor	5.88 (2)
		under process	2.94 (1)
		No facility	8.82 (3)
		No Information Available	5.88 (2)
15	Any radiation hazard in any of the laboratories	Yes	8.82 (3)
		No	35.29 (12)
		N.A	44.12 (15)
		No Information Available	11.76 (4)
16	Counseling facilities	Yes	52.94 (18)
		No	32.35 (11)
		N.A	11.76 (4)
		No Information Available	2.94 (1)
17	Waste disposal facility	Good	26.47 (9)
		Satisfactory	44.12 (15)
		Poor	5.88 (2)
		No facility	20.59 (7)
		N.A	2.94 (1)
18	Parking facility	Available	82.35 (28)
		No facility	11.76 (4)
		N.A	5.88 (2)
19	Computers from the university for students use	Yes	79.41 (27)
		No	2.94 (1)
		N.A	8.82 (3)
		No Information Available	8.82 (3)
20	Internet accessibility	Good	47.06 (16)
		Satisfactory	44.12 (15)
		No Information Available	8.82 (3)
21	Library facility	Good	50 (17)
		Adequate	26.47 (9)
		No library	5.88 (2)
		N.A	17.65 (6)

Sr. No.	Criteria Considered	Category	Percentage (N)
22	CCTV Installation	Yes	44.17 (15)
		No	38.24 (13)
		Under Process	17.65 (6)
23	Complaint box for maintenance related problems	Yes	79.41 (27)
		No	17.65 (6)
		No Information Available	2.94 (1)
24	Designated complaint register for maintenance related	Yes	64.71 (22)
		No	35.29 (12)
25	Designated AE/JE by university engineering	Yes	97.06 (33)
		No	2.94 (1)
26	Designated caretaker	Yes	50 (17)
		No	50 (17)
27	Grievance committee for students redressal	Yes	67.65 (23)
		No	11.76 (4)
		N.A	2.94 (1)
		No Information Available	17.65 (6)
28	Disposal of obsolete items	Yes	64.71 (22)
		No	20.59 (7)
		N.A	5.88 (2)
		No Information Available	8.82 (3)

Sr. No.	Name of Departments, Centres, Faculties and Other Institutions
1.	Dr BR Ambedkar Center for Biomedical Research
2.	Cluster Innovation Centre
3.	Delhi School of Economics
4.	Delhi University Computer Centre
5.	Department of Adult, Continuing Education and Extension
6.	Department of Anthropology
7.	Department of Botany
8.	Department of Chemistry
9.	Department of Commerce
10.	Department of Education
11.	Department of Environmental Studies
12.	Department of Geography
13.	Department of Geology
14.	Department of Physics and Astrophysics
15.	Department of Social Work
16.	Department of Sociology
17.	Department of Zoology
18.	Directorate of Hindi Implementation
19.	Equal Opportunity Cell
20.	Faculty of Law
21.	Faculty of Management Studies
22.	Faculty of Mathematical Science
23.	Faculty of Music
24.	Faculty of Social Science
25.	Institute of Life Long Learning
26.	Non-Collegiate Women's Education Board
27.	School of Open Learning
28.	DU Sports Council & Polo Ground
29.	Students' Activity Centre
30.	University Information Centre
31.	University Science Instrumentation Center
32.	Women Development Studies Centre
33.	Faculty of Arts
34.	CPDHE

Inspection Report of DU Hostels for Submission to EC

Sr. No.	Criteria Consider	Category	Percentage (N)
1	Display of signages	All	64.71 (11)
		Some	35.29 (6)
2	Display of various committees on the notice boards and hostel website	All	52.94 (9)
		Some	47.06 (8)
3	PWD facilities	Good	82.35 (14)
		Satisfactory	11.76 (2)
		No Information Available	5.88 (1)
4	General cleanliness	Good	82.35 (14)
		Satisfactory	17.65 (3)
5	Water facilities in the toilets	Running	94.12 (16)
		Stored	5.88 (1)
6	Toilet status	Good	82.35 (14)
		Satisfactory	17.65 (3)
7	Drinking water facilities	Good	88.24 (15)
		Satisfactory	11.76 (2)
8	Canteen	Good	47.06 (8)
		Satisfactory	29.41 (5)
		Poor	5.88 (1)
		No Information Available	17.65 (3)
9	Common rooms	Good	82.35 (14)
		Satisfactory	11.76 (2)
		Not Functional	5.88 (1)
10	Visitors room facility	Yes	88.24 (15)
		No	11.76 (2)
11	Security	Good	52.94 (9)
		Satisfactory	35.29 (6)
		Poor	5.94 (1)
		No Information Available	5.88 (1)
12	Medical facilities	Good	47.06 (8)
		Satisfactory	52.94 (9)
13	Fire safety	Good	82.35 (14)
		Satisfactory	17.65 (3)
14	Sports/Fitness classes	Good	52.94 (9)
		Adequate	29.41 (5)
		Poor	5.88 (1)
		No Sports/Fitness Classes	11.76 (2)
15	Counseling facilities	Yes	47.06 (8)
		No	47.06 (8)
		No Information Available	5.88 (1)

Sr. No.	Criteria Consider	Category	
16	Waste disposal facility	Good	29.41
		Satisfactory	64.71 (11)
		NA	5.88 (1)
17	Parking facility	Yes	88.24 (15)
		NA	5.88 (1)
		No Information Available	5.88 (1)
18	Computers from the university for students use	Yes	82.35 (14)
		No	5.88 (1)
		NA	5.88 (1)
		Not Functional	5.88 (1)
19	Internet accessibility	Yes	82.35 (14)
		No	11.76 (2)
		NA	5.88 (1)
20	Library facility	Good	17.65 (3)
		Adequate	52.94 (9)
		NA	17.65 (3)
		No Facility	11.76 (2)
21	CCTV Installation	Yes	82.35 (14)
		Under Process	11.76 (2)
		No Information Available	5.88 (1)
22	Complaint box for maintenance of related problems	Yes	100 (17)
23	Complaint register for maintenance related problems	Yes	94.12 (16)
		No	5.88 (1)
24	Designated AE/JE by university engineer for your building	Yes	100 (17)
25	Designated caretaker	Yes	88.24 (15)
		No	11.76 (2)
26	Disposal of obsolete items	Yes	88.24 (15)
		No	11.76 (2)

Sr. No.	Name of Delhi University Hostels / Halls
1.	AmbedkarGanguly Students House for Women
2.	DS Kothari Hostel
3.	Delhi University Women Association Hostel
4.	Department of Social Work Hostel
5.	Gwyer Hall
6.	International Student Hostel for Women
7.	International Students' House
8.	Jubilee Hall
9.	Mansarover Hostel
10.	Meghdoot Hostel
11.	North Eastern Students' House for Women
12.	PG Men's Hostel
13.	Rajiv Gandhi Hostel for Girls
14.	Undergraduate Hostel for Girls
15.	University Hostel for Women
16.	VKRV Rao Hostel
17.	WUS University Hostel

Inspection Report of Libraries for Submission to EC

Sr. No.	Criteria considered	Category	Percentage (N)
1	Display of various committees on the notice boards and hostel website	All	66.67 (2)
		Some	-
		No information available	33.33 (1)
2	Display of signages	All	100 (3)
		Some	-
3	Awareness about EOC of DU	Yes	66.67 (2)
		No	-
		No information available	33.33 (1)
4	PWD facilities	Good	66.67 (2)
		Satisfactory	33.33 (1)
5	General cleanliness	Good	66.67 (2)
		Satisfactory	33.33 (1)
6	Drinking water facilities	Good	66.67 (2)
		Satisfactory	33.33 (1)
7	Water facilities in the toilets	Running	100 (3)
		Running / Stored	-
8	Toilet status	Good	66.67 (2)
		Satisfactory	33.33 (1)
9	Classrooms	Good	33.33 (1)
		Satisfactory	33.33 (1)
		N.A	33.33 (1)
10	Common rooms	Yes	-
		N.A	100.0 (3)
11	Security	Good	66.67 (2)
		Satisfactory	33.33 (1)
12	Medical facilities	Yes	66.67 (2)
		No facility	-
		N.A	33.33 (1)
13	Fire safety	Good	33.33 (1)
		Satisfactory	66.67 (2)
14	Parking facility	Yes	33.33 (1)
		No	-
		N.A	66.67 (2)
15	Computers from the university for students use	Yes	100 (3)
		No	-
16	Internet accessibility	Yes	100 (3)
		No	-
17	Library facility	Yes	100 (3)
		No	-
18	CCTV Installation	Yes	100 (3)
		No	-

Sr. No.	Criteria considered	Category	Percentage (N)
19	Complaint box for maintenance of related problems	Yes	100 (3)
		No	-
20	Designated caretaker	Yes	66.67 (2)
		No	33.33 (1)
		No information available	100 (3)
21	Designated AE/JE by university engineering department	Yes	100 (3)
		No	-
22	Designated caretaker	No	66.67 (2)
		N.A	33.33 (1)
23	Disposal of obsolete items	Yes	66.67 (2)
		No	-
		NA	33.3 (1)

Sr. No.	Name of Libraries
1.	Central Science Library
2.	Central Reference Library
3.	Ratan Tata Library

Inspection Report of Auditorium / Halls for Submission to EC

Sr. No.	Criteria considered	Category	Percentage (N)
1	Display of signages	All	-
		Some	66.67 (2)
		No information available	33.33 (1)
2	Display of various committee on the notice board	Some	33.33 (1)
		Through university process	33.33 (1)
		N.A	33.33 (1)
3	PWD facilities	Good	66.67 (2)
		Satisfactory	33.33 (1)
4	General cleanliness	Good	100 (3)
		Satisfactory	-
5	Toilets water facility	Running	100 (3)
		Running/stored	-
6	Drinking water facilities	Good	33.33 (1)
		Satisfactory	66.67 (2)
7	Toilets status	Good	66.67 (2)
		Satisfactory	33.33 (1)
8	Security	Good	100 (3)
		Satisfactory	-
9	Medical facilities	Yes	66.67 (2)
		No	33.33 (1)
10	Fire safety	Good	100 (3)
		Satisfactory	-
11	Waste disposal facility	Yes, Through university	66.67 (2)
		N.A	33.33 (1)
12	CCTV Installation	Yes	66.67 (2)
		No	33.33 (1)
13	Disposal of Obsolete items	Yes	66.67 (2)
		N.A	33.33 (1)
14	Complaint box for maintenance related problems	Yes	33.33 (1)
		No	66.67 (2)
15	Complaint register for maintenance related problems	Yes	66.67 (2)
		No	33.33 (1)
16	Designated AE/JE by university engineering department	Yes	100 (3)
		No	-
17	Designated caretaker	Yes	66.67 (2)
		No	33.33 (1)
18	Computers from the university for students use	Yes	33.33 (1)
		N.A	66.67 (2)
19	Internet accessibility	Yes	33.33 (1)
		N.A	66.67 (2)

Sr. No.	Name of Auditorium / Halls
1.	Conference Centre
2.	Gandhi Bhawan
3.	Sir Shankar Lal Concert Hall

Inspection Report of Health Centres for Submission to EC

Sr. No.	Criteria considered	Category	N
1	Display of the notices on the notice board	Yes	2
		No	-
2	PWD facilities	Good	1
		Satisfactory	1
3	General cleanliness	Good	2
		Satisfactory	-
4	Drinking water facilities	Good	1
		Satisfactory	1
5	Toilet water facility	Running	2
		Running / Stored	-
6	Toilets status	Good	1
		Satisfactory	1
7	Canteen	N A	2
8	Security	Good	1
		Satisfactory	1
9	Fire safety	Good	1
		Satisfactory	1
10	Any radiation hazard in any of the laboratories	Yes	1
		No	1
11	Counselling facilities	Yes	2
		No	-
12	Waste disposal facility	Good	1
		Satisfactory	1
13	Medical waste disposal facility	Good	1
		satisfactory	1
14	Parking facility	Yes	2
		No	-
15	CCTV Installation	Yes	2
		No	-
16	Complaint box for maintenance related problems	Yes	2
		No	-
17	Complaint register for maintenance related problems	Yes	2
		No	-
18	Designated AE/JE by university engineering department	Yes	1
		No information available	1
19	Designated caretaker	Yes	2
		No	-
20	Disposal of Obsolete items	Yes	2
		No	-

Sr. No.	Name of Health Centres
1.	WUS Health Centre (East)
2.	WUS Health Centre (North)

Inspection Report of Guest Houses for Submission to EC

Sr. No.	Criteria Considered	Category	N
1	Display of signages	Yes	2
		No	-
2	PWD facilities	Good	2
		Satisfactory	-
3	General cleanliness	Good	2
		Satisfactory	-
4	Water facility in the Toilet	Running	2
		Running / Stored	-
5	Drinking water facility	Good	2
		Satisfactory	-
6	Toilets status	Good	2
		Satisfactory	-
7	Kitchen (cleanliness and hygiene)	Good	2
		Satisfactory	-
8	Security	Good	-
		Satisfactory	2
9	Fire safety	Good	2
		Satisfactory	-
10	Waste disposal facility	Yes	1
		Yes,Good	1
11	Parking facility	Yes	2
		No	-
12	CCTV Installation	Yes	2
		No	-
13	Disposal of obsolete items	Yes	2
		No	-
14	Complaint box for maintenance related problems	Yes	-
		No	2
15	Complaint register for maintenance related problems	Yes	2
		No	-
16	Designated AE/JE by university engineering department	Yes	2
		No	-
17	Designated caretaker	Yes	2
		No	-
18	Rooms cleanliness	Yes	2
		No	-

Sr. No.	Name of Guest Houses
1.	International Guest House
2.	University Guest House

Inspection Report of Canteen for Submission to EC

Sr. No.	Criteria considered	Category	N
1	PWD facilities	Good	1
		Satisfactory	-
2	General cleanliness	Good	1
		Satisfactory	-
3	Toilets water facility	Running	1
		Running / Stored	-
4	Toilets status	Good	1
		Satisfactory	-
5	Drinking water facilities	Good	1
		Satisfactory	-
6	Display of signages	Yes	1
		No	-
7	Cleanliness	Yes	1
		No	-
8	Security	Yes	-
		Not applicable	1
9	Fire safety	Yes	-
		Not required	1
10	Complaint box for maintenance related problems	Yes	-
		No	1
11	Complaint register for maintenance related problems	Yes	-
		No	1
12	Designated AE/JE by university engineering department	Yes	1
		No	-
13	Designated caretaker	Yes	-
		Not applicable	1
14	Disposal of obsolete items	Yes	1
		No	-

Sr. No.	Name of Canteen
1.	DU Staff Canteen (Day Care Centre Building, Gate No. 4)

Inspection Report of Administrations for Submission to EC

Sr. No.	Criteria Considered	Category	Percentage (N)
1	Display of signages	Yes	33.33 (1)
		N.A.	66.67 (2)
2	PWD facilities	Good	66.67 (2)
		N.A.	33.33 (1)
3	General Cleanliness	Good	66.67 (2)
		Satisfactory	33.33 (1)
4	Toilets water facility	Running	100 (3)
		Running / Stored	-
5	Drinking water facility	Good	100 (3)
		Satisfactory	-
6	Toilets status	Good	66.67 (2)
		Satisfactory	33.33 (1)
7	Security	Good	66.67 (2)
		Satisfactory	33.33 (1)
8	Medical facilities	Yes	100 (3)
		No	-
9	Fire safety	Good	66.67 (2)
		Satisfactory	-
		NA	33.33 (1)
10	Waste disposal facility	Not yet	33.33 (1)
		N.A.	66.67 (2)
11	CCTV Installation	Yes	66.67 (2)
		No	33.33 (1)
12	Complaint box for maintenance related problems	Yes	33.33 (1)
		No	33.33 (1)
		Through caretaker	33.33 (1)
13	Complaint register for maintenance related problems	Through caretaker	33.33 (1)
		Yes	-
		No	66.67 (2)
14	Designated AE/JE by university engineering department	Yes	100 (3)
		No	-
15	Designated caretaker	Yes	33.33 (1)
		No	66.67 (2)
16	Disposal of Obsolete items	Yes	100 (3)
		No	-

Sr. No.	Name of Administrations
1.	Examination Branch (New Building)
2.	Garden Committee
3.	VC Complex + Research + Old Admn

Inspection Report of Offices and Others for Submission to EC

Sr. No.	Criterion considered	Category	Percentage (N)
1	Display of signages	Yes	28.57 (2)
		N.A.	28.57 (2)
		No information available	42.86 (3)
2	PWD facilities	Good	14.29 (1)
		Satisfactory	14.29 (1)
		Poor	14.29 (1)
		Under process	14.29 (1)
		N.A.	42.86 (3)
3	General cleanliness	Good	42.86 (3)
		Satisfactory	42.86 (3)
		Poor	14.29 (1)
4	Toilets water facility	Running	100 (7)
		Running/stored	-
5	Drinking water facilities	Good	14.29 (1)
		Satisfactory	71.43 (5)
		Poor	14.29 (1)
6	Toilets status	Good	28.57 (2)
		Satisfactory	71.43 (5)
7	Security	Good	28.57 (2)
		Satisfactory	57.14 (4)
		No	14.29 (1)
8	Medical facilities	Yes	71.43 (5)
		No	28.57 (2)
9	Fire safety	Good	42.86 (3)
		Satisfactory	42.86 (3)
		Poor	14.29 (1)
10	Waste disposal facility	Yes	57.14 (4)
		N.A.	42.86 (3)
11	CCTV installation	Yes	42.86 (3)
		No	28.57 (2)
		Not required	28.57 (2)
12	Disposal of obsolete items	Yes	57.14 (4)
		No	14.29 (1)
		N.A.	28.57 (2)
13	Complaint box for maintenance related problems	Yes	57.14 (4)
		No	42.86 (3)
14	Complaint register for maintenance related problems	Yes	57.14 (4)
		No	42.86 (3)
15	Designated AE/JE by university engineering department	Yes	100 (7)
		No	-
16	Designated caretaker	Yes	-
		No	85.71 (6)
		No information available	14.29 (1)

Sr. No.	Name of Offices and Others
1.	DU Co-operative Stores
2.	DUCKU Office
3.	DUSU Office
4.	Engineering Department
5.	New Administrative Block
6.	University Press
7.	Utility Centre